

# RESIDENTIAL LOCKSETS





## STERLING KNOBS SERIES GLS



**Ball**



**Tulip**

Sterling GLS Series knobsets are tubular steel construction design that exceeds ANSI and BHMA standards. The solid brass cylinder is easy to remove for fast re-keying. In addition, Sterling locksets retrofit most residential applications.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinder: Solid brass 5 pin
- Keyway: Kwikset KW1
- Keying: KA6 standard 2 keys provided
- Function: See function chart below
- Backset: 2 way adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Latch: Deadlocking or spring 1" x 2<sup>1</sup>/<sub>4</sub>" radius
- Certification: Meets ANSI A156.2 Grade 3
- Strike: Full lip radius
- Warranty: 5 years
- Finish: 605-Bright Brass, 609-Antique Brass, 626-Brushed Chrome

## STERLING LEVERS SERIES GLS



**Belvedere**



**Franklin**

Sterling GLS Series leversets have the same specifications as the Sterling knobsets with the added trim selection of a lever.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinder: Solid brass 5 pin
- Keyway: Kwikset KW1
- Keying: KA6 standard 2 keys provided
- Function: See function chart below
- Backset: 2 way adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Latch: Deadlocking or spring 1" x 2<sup>1</sup>/<sub>4</sub>" radius
- Certification: Meets ANSI A156.2 Grade 3
- Strike: Full lip radius
- Warranty: 5 years
- Finish: 605-Bright Brass, 609-Antique Brass, 626-Brushed Chrome

## STERLING HANDLESETS SERIES GLS



**Pamona**



Sterling GLS Series handlesets are non handed and reversible for any swing door. They are available in 3 finishes. Handleset operates by key and thumbpiece outside, by knob and turnpiece or key inside.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinders: Solid brass 5 pin
- Keyway: Kwikset KW1
- Keying: KA6 standard 2 keys provided
- Function: Single or Double cylinder, deadbolt x springlatch handle x ballknob
- Backset: 2 way adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Latch: Spring type 1" x 2<sup>1</sup>/<sub>4</sub>" radius face
- Bolt: 1" throw steel reinforced radius
- Certification: Meets ANSI A156.2 Grade 3
- Strikes: Full lip radius - spring latch and deadbolt
- Warranty: 5 years
- Finish: 605-Bright Brass, 609-Antique Brass, 626-Brushed Chrome

## STERLING DEADBOLTS SERIES GLS



**Single  
Cylinder**



**Double  
Cylinder**

Sterling GLS Series auxiliary deadbolts add style and security to any door. They can be keyed to match any Sterling series knobs or levers and are available in matching finishes.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinders: Solid brass 5 pin
- Keyway: Kwikset KW1
- Keying: KA6 standard 2 keys provided
- Function: Single and Double cylinder and one-sided deadbolt
- Backset: 2 way adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Bolt: 1" throw steel reinforced radius
- Certification: Meets ANSI A156.2 Grade 3
- Strike: Full lip radius deadbolt
- Warranty: 5 years
- Finish: 605-Bright Brass, 609-Antique Brass, 626-Brushed Chrome

# STERLING PLUS RESIDENTIAL LOCKSETS



## STERLING PLUS KNOBS SERIES GLF



Sunset



Mercury



Oval

Sterling Plus GLF Series locksets are tubular steel construction design that exceeds ANSI and BHMA standards. The solid brass cylinder is easy to remove for fast re-keying. In addition, Sterling Plus locksets feature concealed screws, choice of KW1 or SC1 keyways and retrofit most residential applications.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinder: Solid brass 5 pin
- Keyway: Kwikset KW1 or SC1
- Keying: KA6 standard 2 keys provided
- Function: See function chart below
- Backset: 6 way adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Latch: Deadlocking or spring multiple faces
- Fasteners: Concealed screws
- Certification: Meets ANSI A156.2 Grade 3
- Strike: Full lip radius
- Warranty: 5 years
- Finish: PVD-Lifetime Brass, 619-Satin Nickel, 613-Oil Rubbed Bronze, 15A-Antique Nickel, 626-Brushed Chrome

## STERLING PLUS LEVERS SERIES GLF



Aqua



Vento



Delano

Sterling Plus GLF Series levers have the same specifications as the Sterling Plus Knobsets with the added trim selection of a lever.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinder: Solid brass 5 pin
- Keyway: Kwikset KW1 or SC1
- Keying: KA6 standard 2 keys provided
- Function: See function chart below
- Backset: 6 way adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Latch: Deadlocking or spring multiple faces
- Fasteners: Concealed screws
- Certification: Meets ANSI A156.2 Grade 3
- Strike: Full lip radius
- Warranty: 5 years
- Finish: PVD-Lifetime Brass, 613-Oil Rubbed Bronze, 15A-Antique Nickel, 619-Satin Nickel, 626-Brushed Chrome

# STERLING PLUS RESIDENTIAL LOCKSETS

## STERLING PLUS HANDLESETS SERIES GLH



**Charleston**

**Birkdale**

**Malibu**

Sterling Plus GLH Series handlesets are non handed and reversible for any swing door. They are available in a choice of styles and a variety of finishes. Handleset operates by key and thumbpiece outside, by knob/lever and turnpiece inside.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinders: Solid brass 5 pin
- Keyway: Kwikset KW1 or SC1
- Keying: KA6 standard 2 keys provided
- Function: Single cylinder Deadbolt x Spring Latch
- Backset: Adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Latch: Spring type multiple faces
- Bolt: 1" throw steel reinforced multiple faces
- Certification: Meets ANSI A156.2 Grade 3
- Strikes: Full-lip radius - springlatch and radius corner deadbolt
- Warranty: 5 years
- Finish: PVD-Lifetime Brass-CHAR, 605-Brass, 619-Satin Nickel, 613-Oil Rubbed Bronze, 15A-Antique Nickel, 626-Brushed Chrome

## STERLING PLUS DEADBOLTS SERIES D



**Single  
Cylinder**




**Double  
Cylinder**

Sterling D Series auxiliary deadbolts add style and security to any door. They can be keyed to match any Sterling Plus series knobs or lever and are available in matching finishes.

### Specifications

- Door Thickness: 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>"
- Cylinders: Solid brass 5 pin
- Keyway: Kwikset KW1 or SC1
- Keying: KD standard 2 keys provided
- Function: Single and Double cylinder and one-sided deadbolt
- Backset: 6 way adjustable 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>"
- Bolt: 1" throw steel reinforced multiple faces
- Certification: Meets ANSI A156.2 Grade 3
- Strike: Radius corner deadbolt
- Warranty: 5 years
- Finish: PVD-Lifetime Brass, 619-Satin Nickel, 613-Oil Rubbed Bronze, 15A-Antique Nickel, 626-Brushed Chrome

## LOCKSET ACCESSORIES



### GLF Series Schlage SC1

- GLF-EKNOB-** Knob cylinder
- GLF-ELEVER-** Lever cylinder
- GLF-ESCYLDB-** Deadbolt cylinder single
- GLF-EDCYLDB-** Deadbolt cylinder double

### GLF Series Kwikset KW1


- GLF-EKWKNOB-** Knob cylinder
- GLF-EKWLEVR-** Lever cylinder
- GLF-EKWSCYL-** Deadbolt cylinder single
- GLF-EKWDCYL-** Deadbolt cylinder double

### STERLING PLUS CYLINDERS


Global 5-pin cylinders are manufactured with strict quality control to insure precise tolerances and smooth operation. Keyways available Kwikset KW1 standard or Schlage SC1 available on GLF Series.

Keying service available:


Custom keying to your specifications- Keyed Alike, Master, or Construction keyed. Additional charges apply for keying.




**GLS11-** Deadlatch Square Corner  
**GLS45-** Deadlatch Radius Corner



**GLS22-** Springlatch Square Corner  
**GLS44-** Springlatch Radius Corner



**GLS33-** Bolt for deadlock square corner  
**GLS46-** Bolt for deadlock radius corner



**GLSDL-605** Drive-in deadlatch  
**GLSSP-605** Drive-in springlatch  
**GLSDB-605** Drive-in bolt for deadlock

### LATCHES

GLS Series Sterling locksets are supplied with radius corner 2 way adjustable backset latches.


GLF Series Sterling Plus locksets are supplied with 6-way adjustable latches for square corner, radius corner, drive in, 2<sup>3</sup>/<sub>8</sub>" and 2<sup>3</sup>/<sub>4</sub>" applications.

### LATCH OPTIONS - Refer to diagrams


Description	Specify GLS
Springlatch	22, <b>44</b> , SP
Deadlocking	11, <b>45</b> , DL
Deadbolt	33, <b>46</b> , DB
2 <sup>3</sup> / <sub>8</sub> " - 2 <sup>3</sup> / <sub>4</sub> " Backset	<b>Adjustable</b>
Square Corner	11, 22, 33
Radius Corner	<b>44, 45, 46</b>
Drive-in	SP, DL, DB
UL Listed	<b>Non Rated</b>
Face 1" x 2 <sup>1</sup> / <sub>4</sub> "	<b>Radius</b> , Square
Finish	605, 609, 626

**Example:** GLSSP-605


To order a Drive-in Springlatch for GLS and GLF Series interior locksets  
**ALL BOLD ITEMS- FURNISHED STANDARD**




**GLA001-** T-Strike



**GLA026-** Full-lip strike square corner  
**GLA027-** Full-lip strike radius corner  
**GLS66-** Full-lip radius corner deadbolt



**GLA-029-** Deadbolt Strike 1<sup>1</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>4</sub>"  
**GLS99-** D160 deadbolt radius corner



**GLA025** ANSI strike 1<sup>1</sup>/<sub>4</sub>" x 4<sup>7</sup>/<sub>8</sub>"

### STRIKES

All Sterling and Sterling Plus locksets are supplied with Full-Lip radius corner strikes. Square corner and T-Strikes are available upon request.

### STRIKE OPTIONS - Refer to diagrams


Description	Specify GLA
Full Lip Radius Corner	<b>027</b> , 66
Full Lip Square Corner	026
T-Strike	001
ANSI	025
Deadbolt	029, 99
Finish	605, 613, 626

**Example:** GLA025-626

To order 1<sup>1</sup>/<sub>4</sub>" x 4<sup>7</sup>/<sub>8</sub>" ANSI Strike in US26D Brushed Chrome  
**ALL BOLD ITEMS- FURNISHED STANDARD**

# RESIDENTIAL LOCKSET FUNCTIONS


## LOCKSET FUNCTIONS



### PASSAGE

- 10S - Knobs
- 10S - Levers


Lockset for interior door applications that latch by lever/knob either side.



### PRIVACY

- 40S - Knobs
- 40S - Levers


Lockset for interior door applications that latch by lever/knob either side except when inside turn-button locks outside lever/knob. Unlock by rotating inside turn-button or turning outside emergency slot.



### ENTRY

- 53PD - GLS- Knobs and Levers
- K53PD - GLF - Knobs and Levers

Lockset for interior/exterior door applications that latch by lever/knob either side except when outside lever/knob is locked by turn-button inside. When outside lever/knob is locked, latchbolt operated by key outside or turning inside lever/knob, when inside button is manually released.



### DUMMY

- 170 - GLS - Knobs and Levers
- 170S - GLF - Knobs and Levers

Single rigid lever/knob trim for one side of door only. Used as pull or to match active lockset, no latch.

### Please specify when ordering:

- |                 |  |   |
|-----------------|--|---|
| • Series - Pack | GLS - Box<br>GLSV - Visual   | GLF - Box   |
| • Function -    | 10S - Passage<br>40S - Privacy<br>53PD - Entry<br>170 - Dummy            | - 10S<br>- 40S<br>- K53PD<br>- 170S   |
| • Backset -     | 2 way adj.   | 6 way adj.  |
| • Keyway -      | KW1  | KW1 or SC1  |
| • Trim -        | BLV - Lever Handed<br>FRA - Lever Non-handed<br>BAL - Knob<br>TUL - Knob | AQ, VEN- Lever<br>DEL- Lever<br>SUNL- Knob<br>MERL- Knob<br>OVAL- Knob                                      |
| • Strike -      | Full lip radius corner standard - see option                             |   |
| • Finish -      | 605-Brass<br>609-Antique Brass<br>626-Brushed Chrome                     | PVD-Lifetime Brass<br>613-Oil Rubbed Bronze<br>15A-Antique Nickel<br>619-Satin Nickel<br>626-Brushed Chrome |

### Series prefix:

#### Combo Sets

- GLSV664BAL-** Single cyl. deadbolt/knob
- GLSV664TUL-** Single cyl. deadbolt/knob
- GLSV668BAL-** Double cyl. deadbolt/knob
- GLSV668TUL-** Double cyl. deadbolt/knob

#### Entry Handlesets

- GLS670PAM-** Single cyl. handle/ball knob set
- GLS672PAM-** Double cyl. handle/ball knob set
- GLH670BIRK, CHAR-** Single cyl. handle outside trim
- GLH620-** Inside trim specify knob
- GLH622-** Inside trim specify lever

#### Deadbolt- no key

- GLS680-** One sided deadbolt
- D580-** One sided deadbolt



**GLOBAL DOOR CONTROLS**

Charlotte, NC., U.S.A.

Tel: 704.596.2444

Fax: 704.596.5659